ET

	Application No.	Applicant(s)
Notice of Allowability	10/653,023	RACCHINI ET AL.
	Examiner	Art Unit
	Michael Apanius	3736 ⁻
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. $igspace$ This communication is responsive to <u>the amendment filed</u>	on 1/16/2007.	
2. X The allowed claim(s) is/are 12,13,15,18,19 and 22.	•	
3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: ☐ Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. ☐ A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	e been received. e been received in Application No cuments have been received in this of this communication to file a reply MENT of this application. iitted. Note the attached EXAMINER es reason(s) why the oath or declara st be submitted. son's Patent Drawing Review (PTO-	national stage application from the complying with the requirements 'S AMENDMENT or NOTICE OF tion is deficient.
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawii he header according to 37 CFR 1.121(d).
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	SIT OF BIOLOGICAL MATERIAL INFORMED THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08),	5. ☐ Notice of Informal F 6. ⊠ Interview Summary Paper No./Mail Da 7. ⊠ Examiner's Amendr	(PTO-413), te <u>20070328</u> .
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 10/653,023

Art Unit: 3736

EXAMINER'S AMENDMENT

Applicant's amendment filed 1/16/2007 is entered. The amendments to claims 12, 13, 18 and 19, the amendments to the specification and the terminal disclaimer are acknowledged.

The terminal disclaimer filed on 1/16/2007 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of any patent granted on Application Number 10/882,994 has been reviewed and is accepted.

The terminal disclaimer has been recorded.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mayumi Maeda on 3/28/2007.

The application has been amended as follows:

Claims 1-11 have been cancelled.

At claim 13, line 2, "at least concentrically-arranged pressure rings" has been changed to --at least three concentrically-arranged pressure rings--.

At the replacement paragraph 96, line 2, "FIG. 14" has been changed to --FIG. 14)--.

Application/Control Number: 10/653,023

Art Unit: 3736

The following is an examiner's statement of reasons for allowance: no prior art of record teaches or fairly suggests at least three concentrically-arranged pressure rings wherein the at least three concentrically-arranged rings apply pressure in an oscillating manner with asymmetric deployment and retraction cycle timing, and wherein only one of the at least three concentrically-arranged pressure rings is deployed at a time.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Douglas et al. (US 5,951,493), Perez et al. (US 6,706,000), Perez et al. (US 2002/0188223) disclose apparatus for expressing body fluid from an incision. Olson et al. (US 2006/0184189) discloses a cap for a dermal lancing device. Bylund et al. (US 2003/0212379) discloses a system and method for analyte monitoring.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Apanius whose telephone number is (571) 272-5537. The examiner can normally be reached on Mon-Fri 8am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone

Application/Control Number: 10/653,023 Page 4

Art Unit: 3736

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MA

COM A MINDENBURG